



Heat Lamps

Direct heat source for use in food prep, bathrooms and poultry industry

- Clear or Red-Faced (Infrared)
- 120V or 130V
- Medium (E26) Brass or Aluminum Base
- Attractive Individual Packaging



Item	Watts	Finish	Hours	MOL	Pkg
125BR40/1	125	CLEAR	5000	6.50	24
175PAR38/1	175	CLEAR	5000	5.30	24
175PAR38/10	175	RED	5000	5.30	24
250BR40/1	250	CLEAR	5000	6.50	24
250R40/10	250	RED	5000	6.50	24
375R40/1	375	CLEAR	5000	7.25	24
375R40/10	375	RED	5000	7.25	24





C7



S11



S14




S6

Specialty

Nightlight, Sign, Indicator, Exit, Appliance Applications

- Blue, Green, Orange, Red, Yellow, Pink, Clear or White
- 130V


Item	Watts	Base	Hours	MOL	Pkg
4C7	4	CAND (E12)	5000	2.10	25
4C7/COLOR	4	CAND (E12)	5000	2.10	25
7C7	7	CAND (E12)	5000	2.10	25
7C7/COLOR	7	CAND (E12)	5000	2.10	25
7C9	7	INT (E17)	5000	2.10	25
7C9/COLOR	7	INT (E17)	5000	2.10	25
7.5S11	7.5	MED (E26)	3500	2.25	25
7.5S11/COLOR	7.5	MED (E26)	3500	2.25	25
10S11	10	INT (E17)	5000	2.25	25
10S11/COLOR	10	INT (E17)	5000	2.25	25
25S11N	25	INT (E17)	5000	2.25	25
40S11N	40	INT (E17)	5000	2.25	25
11S14	11	MED (E26)	3000	3.50	120
11S14/COLOR	11	MED (E26)	3000	3.50	120
6S6	6	CAND (E12)	1500	1.88	25
6S6/COLOR	6	CAND (E12)	1500	1.88	25



T6



T8



T10



T6.5



LN150



L60

Tubular

**Specific applications include:
showcase, exit signs, appliance
and accent.**

Item	Watts	Base	Lumens	MOL	Pkg
15T6	15	CAND (E12)	102	3.06	25
15T6DC	15	DC	102	3.06	25
20T6.5N	20	INT (E17)	90	5.50	25
20T6.5DC	20	DC	90	5.50	25
25T6.5N	25	INT (E17)	220	5.56	25
25T6.5DC	25	DC	220	5.56	25
40T6.5N	40	INT (E17)	420	5.50	25
40T6.5DC	40	DC	420	5.50	25
<hr/>					
15T7	15	CAND (E12)	100	2.25	25
15T7N	15	INT (E17)	100	2.25	25
15T7DC	15	DC	100	2.25	25
<hr/>					
15T8	15	CAND (E12)	100	2.25	25
15T8N	15	INT (E17)	100	2.25	25
15T8DC	15	DC	100	2.25	25
25T8	25	CAND (E12)	200	2.62	25
25T8N	25	INT (E17)	200	2.63	25
25T8DC	25	DC	200	2.63	25
40T8	40	MED (E26)	430	11.75	25
<hr/>					
25T10	25	MED (E26)	260	5.63	25
40T10	40	MED (E26)	440	5.63	25
60T10	60	MED (E26)	740	5.63	25
<hr/>					
L30	30	DISC	210	17.75	24
L30W	30	DISC	210	17.75	24
L40	40	DISC	325	11.75	24
L40W	40	DISC	325	11.75	24
L60	60	DISC	480	17.75	24
L60W	60	DISC	480	17.75	24
LN60	60	S14S	460	19.70	25
LN150	150	S14S	930	39.40	16



Mercury Vapor

Lowest initial cost HID product series. Now considered old technology, these lamps are commonly replaced by HPS and MH

Basic

Item	Watts	Bulb	Base	Finish	Lumens	Hours	Pkg
H46DL	50	E17	MED	DX	1560	24,000	12
H43AV	75	E17	MED	DX	2680	24,000	12
H38AV	100	E17	MED	DX	3880	24,000	12
H38MP	100	A23	MED	DX	3600	18,000	12
H38JA	100	ET23	MOG	DX	4050	24,000	12
H38BP	100	R40	MED	DX	2490	24,000	12
H44GS	100	PAR	MED SK	DX	2490	16,000	12
H39KB	175	ED28	MOG	CLEAR	7600	24,000	12
H39KC	175	ED28	MOG	DX	7400	24,000	12
H39BP	175	R40	MED	DX	4500	24,000	12
H37KB	250	ED28	MOG	CLEAR	10,700	24,000	12
H37KC	250	ED28	MOG	DX	11,000	24,000	12
H33CD	400	ED37	MOG	CLEAR	20,600	24,000	12
H33GL	400	ED37	MOG	DX	22,000	24,000	12
H33FS	400	R60	MOG	DX	15,000	24,000	12
H36GV	1000	BT56	MOG	CLEAR	57,100	24,000	12
H36GW	1000	BT56	MOG	DX	62,800	24,000	12

Self Extinguishing

If outer envelope is broken this lamp self-extinguishes within 15-minutes

Item	Watts	Bulb	Lumens	Hours	Pkg
H33GL/T	400	ED37	20,600	24,000	6
H36GW/T	1000	BT56	56,200	24,000	6

Self Ballasted

- Direct incandescent screw-in replacement
Does not require an auxiliary ballast

Item	Watts	Bulb	Pkg
SBMV100/E21	100	E21	12
SBMV160/E24	160	E24	12
SBMV160/R40	160	R40	12
SBMV250/ED28/MED	250	ED28	12
SBMV250/ED28/MOG	250	ED28	12
SBMV450/BT37	450	BT37	12
SBMV450/R57	450	R57	12
SBMV750/BT46	750	BT46	12
SBMV750/R57	750	R57	12